UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,428	08/31/2006	Martin S. Zand	17661692	2423
11951 LeClairRyan	7590 05/12/201	1	EXAM	IINER
290 Linden Oak	KS .	SCHWADRON, RONALD B		
Suite 310 Rochester, NY	14625		ART UNIT	PAPER NUMBER
			1644	
			MAIL DATE	DELIVERY MODE
			05/12/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE **U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10/576,428	31 August 2006	ZAND ET AL.	17661692

ZAND ET AL. 17661692

LeClairRyan 290 Linden Oaks Suite 310 Rochester, NY 14625 **EXAMINER**

20110505

Ron Schwadron, Ph.D.

ART UNIT PAPER

DATE MAILED:

1644

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed 5/27/10 is not fully responsive to the Office communication mailed 5/17/10 for the reason(s) set forth below or on the attached Notice To Comply With The Sequence Rules or CRF Diskette Problem Report.

The Glu residue in z-IETD-FMK contains an O-methyl group not depicted in the sequence listing (as per Biovision catalog listing for z-IETD-FMK, see http://www.biovison.com/z-ietd-fmk-185.html).

Since the above-mentioned reply appears to be bona fide, applicant is given a TIME PERIOD of ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Ron Schwadron, Ph.D. Primary Examiner, Art Unit 1644

/Ron Schwadron/ Primary Examiner, Art Unit 1644